Saraswats, residents of Shimoga Town. 3 and 4 are minors by guardian and next friend 1st petitioner, Mohandas ... ... *Petitioners.*

vs.

Dr. M. Ranganatha Pai, son of Subbaraya Pai, aged about 46 years, Medical Practitioner, resident of Shimoga ... ... *Respondent.*

In the matter of the estate of Mrs. Leelavati *alias* Shanta Bai.

Whereas the petitioners Mohandas and others, residents of Shimoga Town, claiming to be the legal heirs of the said Mrs. Leelavathi *alias* Shantha Bai, deceased, have applied to this Court for a certificate under Act VI of the Mysore Succession Certificate Act, to collect debts payable in respect of the estate of Mrs. Leelavathi *alias* Shantha Bai, deceased, resident of Shimoga Town.

Notice is hereby given of the said application and all claimants in the estate of the said Mrs. Leelavathi *alias* Shantha Bai, deceased, are invited to appear in this Court on the 26th day of June 1947 when the petition of the said Mohandas and others, applicants, will be heard and the right to the certificate will be determined.

Given under my hand and the seal of the Court, this 4th day of June 1947.

SCHEDULE.

Policy No. 121493 for Rs. 3,000 standing in the name of Mrs. Leelavathi *alias* Shantha Bai (deceased) in the Bombay Mutual Life Assurance Society, Limited, Bombay. The amount due to the petitioners is only Rs. 2,631-9-0.

1408. N. R. JAYA RAO, *Sub-Judge.*

OFFICE OF THE SECRETARY, STORES PURCHASE COMMITTEE, "UNITED INDIA" BUILDING, BANGALORE.

Dated 5th June 1947.

To

The Firms dealing in Water Meters.

Enquiry No. 8356.

Water Meters required for Water Supply Division.

Dear Sir/Gentlemen,

No. S.P.C. 31985-2000. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Water Meters required for Water Supply Division" with the above enquiry number.

This enquiry will be closed on the 26th June 1947.

SCHEDULE.

		Quantity
1	½" Water Meters	800 Nos.
2	¾" Water Meters	75 Nos.

SPECIFICATION OF METERS REQUIRED FOR MYSORE CITY.

1. The meters shall be of the inferential fan type or the semipositive disc type and shall have a dry dial and circular reading index. The size now required is ½".

2. They shall be suited generally for horizontal installation.

3. Every meter shall be guaranteed to work automatically at least for two years without repairs or renewals of spare parts when dealing with water which may contain 1 R. P. M. of residual chlorine and a small trace of iron also.

4. The meters may register either way backward or forward.

5. The accuracy of registry in the meters over varying rates of flow of water shall be guaranteed up to 2 per cent for all sizes between the ranges of 12 gallons and 500 gallons per hour.

6. The minimum rate of flow of water capable of being registered by the meters shall not be more than six gallons per hour.

7. The maximum temperature of the water passing through the meters shall not be more than 105° F and every part of the meter shall be guaranteed to work unaffected by expansion or contraction or warping or deterioration between the temperatures of 60°F and 105°F in the City.

8. All the parts of the meter shall ensure extreme accuracy of sizes in manufacture enabling interchangeability and ease in removing and refixing of the required parts.

9. The manufacturer shall supply with the meters the test reports and charts giving full details of the variation in the rates of flow under different conidtions of head of water.

10. Every meter shall be fitted with a properly sealed adjusting device for making adjustments during repairs. The meter shall also be provided with arrangements for locking it with lead seals so as to prevent manipulation of the index by unauthorised persons.

11 As far as possible, the meters shall be provided with spur gear or bevel gear drives, both for the indexing drygear and for the regulating wet undergear.

12. Similarly, the meter shall not consist of any parts liable to deteriorate under water or corrosion by electrolytic or chemical action.

13 Every meter supplied shall be accompanied by a certificate testifying the body of the meter being proff against a pressure up to 400 lbs. per square inch and the whole meter tested with running water up to 150 lbs. per square inch.

14. *The following special specifications shall also be complied with* :—

(1) Body of the meter to be of strong construction using non-corrodible metalee alloy preferably non-ferrous.

(2) Strainer :—of a capacity of at least four times the sectional area of the diameter of pipe and to be made of a non-corrodible metal.

(3) Two piece or pivot also non-corrodible and mounted on jewelled bearings.

(4) Fan or vane wheel shall be free from chemical or electrolytic action and shall be nearly of the same density as of water.

(5) Entry of water to the meter shall preferably be even on all sided of the fan and not such as to cause any side thrust on the spindle in any particular direction.

(6) Regulator of index gears shall be also on non-corrodible materials with parts cut most accurately. They shall be so housed as to be protected from any any foreign substances tending to clog their working. The stuffing box separating the two gear systems shall be provided wit bronze of other bushings and the bearings shall be such as to minimise friction as well as wear.

(7) Dial shall be of bold and clear figures reading upto 1,00,0,000 gallons before being set back to zero again. The enamelling and figuring shall be such as not to get effeced easily. The dial plate shall be made of a light yet strong material not likely to chip off at the edges.

(8) The glass cover should be attached in such a way that it should not become covered with moisture from the inside. In the alternative it shall have an arrangement to wipe off the moisture, if any, collected when the meter is to be read periodically.

N.B.—1. The prices to be quoted should be for delivery f.o.r. Bangalore and Mysore.

2. Complete specification with illustrated pamphlets or catalogues of the water meters offered should accompany the quotation,

9035

Dated 5th June 1947.

To

The Firms dealing in Gun Powder.

Enquiry No. 8357.

Gun Powder required during the year 1947-48.

Gentlemen.

No. S. P. C. 31970-72. Please be good enough to intimate your best prices for the material described below :—

Good and dry gunpowder for blasting purposes. The composition of the material should be in the proportion of 75 : 10 : 15 by weight of saltpetre, sulphur and charcoal respectively, its density being in the neighbourhood of 1·8.

It would be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

1. The quotation should be for one pound of the material delivered free on rails at any Railway Station in the State, and should be firm for one year during which period the materials will be drawn on indents in such quantities as may be required from time to time; the indents being complied within a fortnight from the date of receipt.

2. In case of doubt as to whether the supply conforms to the specification, the Stores Purchase Committee reserve the right to draw samples from the supply and get them tested

at the Government Industrial and Testing Laboratory, Bangalore. The cost of such tests should be borne by you.

3. The contract will be deemed to be limited to the quantities to be actually drawn by the departments.

4. Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order, as and by way of liquidated damages. In such an event the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

5. In case your quotation is accepted by the Committee you should arrange to enter into an agreement and deposit a sum of Rupees fifty (Rs. 50) only as security for the due fulfilment of the contract within two weeks from the date of receipt of our order, failing which the order will be cancelled.

6. The successful contractor should bind himself to pack the material before despatch according to Schedule I of Red Tariff No. 15. The outer and inner packages being as defined in Clause (1) of the Schedule.

The quotations should be superscribed "Quotations for Gunpowder" and sent to the undersigned, with the above enquiry number.

This enquiry will be closed on the 24th June 1947.

9018

Dated 16th June 1947.

To

The Firms dealing in G.I. Pipes.

Enquiry No. 8365.

Subject: **G. I. Pipes.**

DEAR SIR/GENTLEMEN,

No. S.P.C. 32488-99. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for G.I. Pipes Sanitary Department" with the above enquiry number.

This enquiry will be closed on the 27th June 1947.

SCHEDULE.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
1	G. I. Pipes new in standard lengths ½"	5,000 ft.	...	...
2	Do ¾" ...	3,000 ft.		

N.B.—Only new genuine pipes in standard lengths should be offered.

9271

Dated 13th June 1947.

To

The Firms dealing in Tarpaulins.

Enquiry No. 8358.

Tarpaulins required for the Mysore Government Departments during 1947-48.

GENTLEMEN,

No. S.P.C. 31954-69. Please be good enough to intimate your best prices for Tarpaulin described below:—

Tarpaulin made of best natural quality, water-proof, rot-proof jute canvas with eyelets, 3 ft. apart and lashings complete.

The price to be quoted should be per sq. yd. complete with eyelets and lashings.

(*a*) The prices to be quoted should be for delivery F. O. R., Bangalore.

(*b*) Samples to show quality of the material offered should be furnished with the quotations, without which no quotation will be considered.

(*c*) The quotation should hold good for one year from the date of contract.

(*d*) The contract will be deemed to be limited to such quantities as will be actually drawn by the departments during the contract period.

(*e*) No enhancement of the prices for whatsoever reasons during the contract will be allowed.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Tarpaulins" with the above enquiry number.

This enquiry will be closed on the 23rd June 1947.

9202 D. S. RAGHAVENDRACHAR, *Secy., S. P. C.*

OFFICE OF THE PUBLIC SERVICE COMMISSIONER FOR MYSORE, UNITED INDIA BUILDING, BANGALORE.

Notification No. 6206—*P. S. C.* 3-46-92, *dated* 30*th May* 1947.

In accordance with the rules of recruitment, the approved list of eligible candidates in the relative order of preference, for admission to the subordinate services of Government, in respect of the appointments in the Unit Office mentioned below, is hereby published for information.

Kind and Class of Appointments.—Clerks, Accountants, etc.,—Class III.

Unit Office.—Deputy Commissioner, Tumkur District, Tumkur.

"B" or "SPECIAL" LIST.

Add to the existing list—

25 D Shivananjappa, care of T V Shankarappa, Fort, Tiptur, Tumkur District.

8793

Notification No. 6208—*P. S. C.* 3-46-93, *dated* 30th *May* 1947.

Kind and Class of Appointments.—Clerks, Accountants, etc.—Class III.

Unit Office.—Deputy Commissioner, Hassan District, Hassan.

'B' or "SPECIAL" LIST.

Add to the existing list.—

10 G A Shankarasetty, care of Appiahsetty, Contractor, Gorur, Hassan Taluk.

8794

Notification No. 6210—*P. S. C.* 2-46-154, *dated* 30*th May* 1947.

Kind and Class of Appointments—Clerks, Accountants, etc.,—Class II.

Unit Office.—Secretary, Mysore Government Insurance Department, Bangalore.

'B' OR "SPECIAL" LIST.

Add to the existing list—

17 G Janardhana Rao, 11 G. No. 4th Street, Ulsoor, Bangalore.

8795

Notification No. 6212—*P. S. C.* 2-46-155, *dated* 30*th May* 1947.

Kind and Class of Appointments.—Clerks, Accountants, etc.,—Class II.

Unit Office.—The Muzrai Commissioner in Mysore, Bangalore.

"B" OR "SPECIAL" LIST.

1 N Abdul Lathief, Clerk, Muzrai Commissioner's Office, Bangalore.

8791

Notification No. 6214—*P. S. C.* 1-46-38, *dated* 30th *May* 1947.

Kind and Class of Appointments—Teachers in Kannada Primary Boys' Schools—Class III.

Unit Office—The Elementary Education Officer, Kolar District, Kolar.

"A" OR "GENERAL" LIST.

1 M G Nagarajachar, Jodidar, Jodi Mallenahalli, Goribidnur Taluk

2 J Harisarvothama Rao, Grant School Teacher, Lakkasandra, Hudugur Post, Goribidnur Taluk.

3 V Narayana Sastry, son of Venkatarama Bhatta, Purohit, Goribidnur.

4 S Krishnamurthy, Police Constable No. 138, District Police Office, Kolar.

5 Suryanarayanappa, care of Mr. Aswathaiah, Postmaster, Eduguru Post, Goribidnur Taluk.

6 T V Muniswamy, son of Venkatanarasappa, Tenkayamakulapalli, Bagepalli Taluk.

7 K Srinivasachar, care of K Rangachar, Retired School Master, Alavattam, Srinivasapur Post.

8 M V Sreenivasamurthy, son of Venkatarayappa, Mallur, Mellur P.O.

9 T S Sreenivasa Sastry, care of K G Krishnasastry, Government Book Selling Agent, Sidlaghatta.

10 A S Vijendramurthy, son of A Srinivasaiah, Ayurvedic Pandit, Akkur, Channapatna Taluk.

11 S Naryana Rao, Vrigili, Sugatur Hobli, Kolar Taluk

12 Chakrapani Rao, Pathapalyam, Bagepalli Taluk

13 M Sreenivasarangachar, Mandikal, P.O. Chickaballapur Taluk

14 T V Rama Iyengar, care of H R Sreenivasan, District Police Office, Kolar.

15 H S Lakshminarasimha Sastry, Holali, Devarayasamudram P.O. Kolar Taluk.

16 K V Achappa, Peon, Middle School, Kyalanur P.O. Kolar Taluk.

17 K R Raghavendracharya, Acting School Master, Vengasandra, Bethamangala P.O.